



1112

Series 重型

长珠系列


2" Wide General Purposes Caster (American Style)

载重 Load
120-450 kg


- 高负载且旋转灵活, 普遍适用于一般工厂搬运, 另可附防尘盖, 属得胜专利产品, 可以有效防止脚轮因灰尘或缠丝而无法转动, 提高脚轮使用寿命。
- Swivel easily under heavy load, good for workshop carts. Patented thread guards and dust covers prevent swivel failure caused by build-up of strings between the wheel and fork legs, as well as the dust in the wheel bearing.



» 特色区 Features

侧刹
Side Lock BrakeAK刹
AK Total Lock Brake轮子可附防尘盖
Thread guard定向杆
Directional LockPU轮面可以变化硬度
Different PU tread hardness available

» 轮子选项 Wheel Options

高科技耐磨聚氨酯(圆弧形)
PU on PP Core(Round Shape)铁芯NBR橡胶轮
NBR Rubber on Cast铁芯聚氨酯
PU on Cast超级人造胶(圆弧形)
TPR on PP Core(Round Shape)超级人造胶(平面)
TPR on PP Core(Flat Shape)滚针轴承
Roller Bearing滚珠轴承
Ball Bearing精密长珠轴承
Annular ball bearing铁芯聚氨酯(圆弧形)
PU on Cast (Round Shape)电木轮
Phenolic高科技耐磨聚氨酯
PU on PP CoreSS铁轮
Cast IronVG轮
V GrooveSPU轮
CPU on PP coreEPU轮
EPUW超级人造胶
WPPRW全效轮
W Resolute Wheel全效轮(平面)
Resolute(Flat Shape)全效轮(圆弧形)
Resolute(Round Shape)HDR轮(圆弧形)
HD Resolute Wheel(Round Shape)WHDR轮
WHDREQU轮
EQU

» 底板规格 TOP PLATE SIZE AND BOLT HOLE SPACING

编号 Suffix	底板尺寸 Top Plate Size	底板孔距 Bolt Hole Spacing	安装尼帽尺寸 Attaching Bolt Size
1	100 x 115 mm (4"x 4-1/2")	70 x 85 mm (2-5/8"~3"x3"~3-5/8")	9.5 mm (3/8")
2	115 x 159 mm (4-1/2"x 6-1/4")	75 x 130mm (2-7/16"~3-3/8" x4-15/16"~5-1/4")	12.7 mm (1/2")



» 丝扣规格 THREADED STEM SPECIFICATION

编号 Suffix	丝扣牙径 x 长度 Threaded Size
4" 5" 6" 8"	M24 x 150mm

 轮径x轮宽 Diameter×Width	 载重 Load	 材质 Material	 型号 Item No.			 轴承 Bearing	 总高 Overall Height	 回旋半径 Swivel radius
			固定 Fixed	活动 Swivel	刹车 Brake			
100mm×50mm (4" × 2")	270 kgs (600 lbs)	高科技耐磨聚氨酯(圆弧形) PU on PP Core(Round Shape)	1112-04-43-1	1112-04-43-2	1112-04-43-4	滚珠 Ball Bearing	142mm (5-5/8")	活动 74.5mm 侧刹 78.5mm AK刹 136.5mm Swivel 74.5mm Swivel W/Side Brake 78.5mm AK Total Lock Brake 136.5mm
	200 kgs (440 lbs)	铁芯聚氨酯(圆弧形) PU on Cast (Round Shape)	1112-04-42-1	1112-04-42-2	1112-04-42-4			
	150 kgs (325 lbs)	铁芯NBR橡胶轮 NBR Rubber on Cast	1112-04-04-1	1112-04-04-2	1112-04-04-4	滚针 Roller Bearing		
	270 kgs (600 lbs)	铁芯聚氨酯 PU on Cast	1112-04-33-1	1112-04-33-2	1112-04-33-4			
	360 kgs (800 lbs)	电木轮 Phenolic	1112-04-25-1	1112-04-25-2	1112-04-25-4			
	270 kgs (600 lbs)	高科技耐磨聚氨酯 PU on PP Core	1112-04-31-1	1112-04-31-2	1112-04-31-4			
	360 kgs (800 lbs)	SS铁轮 Cast Iron	1112-04-21-1	1112-04-21-2	1112-04-21-4			
	360 kgs (800 lbs)	VG轮 V Groove	1112-04-28-1	1112-04-28-2	1112-04-28-4			
	120 kgs (265 lbs)	超级人造胶(圆弧形) TPR on PP Core (Round Shape)	1112-04-26-1	1112-04-26-2	1112-04-26-4	滚针 Roller Bearing 精密长珠轴承 Annular ball bearing		
	150 kgs (330 lbs)	超级人造胶(平面) TPR on PP Core (Flat Shape)	1112-04-52-1	1112-04-52-2	1112-04-52-4			
	150 kgs (330 lbs)	W超级人造胶 WPPR	1112-04-47-1	1112-04-47-2	1112-04-47-4			
	181 kgs (400 lbs)	W全效轮 W Resolute	1112-04-48-1	1112-04-48-2	1112-04-48-4			
	181 kgs (400 lbs)	全效轮 (平面) Resolute(Flat Shape)	1112-04-51-1	1112-04-51-2	1112-04-51-4			
	136 kgs (300 lbs)	全效轮(圆弧形) Resolute(Round Shape)	1112-04-44-1	1112-04-44-2	1112-04-44-4			
	228 kgs (500 lbs)	HDR轮(圆弧形) HD Resolute Wheel(Round Shape)	1112-04-54-1	1112-04-54-2	1112-04-54-4			
	270 kgs (600 lbs)	WHDR轮 WHDR	1112-04-55-1	1112-04-55-2	1112-04-55-4			
125mm×50mm (5" × 2")	340 kgs (750 lbs)	高科技耐磨聚氨酯(圆弧形) PU on PP Core (Round Shape)	1112-05-43-1	1112-05-43-2	1112-05-43-4	滚珠 Ball Bearing	167mm (6-1/2")	活动 92.5mm 侧刹 92.5mm AK刹 140mm Swivel 92.5mm Swivel W/Side Brake 92.5mm AK Total Lock Brake 140mm
	230 kgs (500 lbs)	铁芯聚氨酯(圆弧形) PU on Cast (Round Shape)	1112-05-42-1	1112-05-42-2	1112-05-42-4			
	340 kgs (750 lbs)	SPU轮 CPU on PP core	1112-05-63-1	1112-05-63-2	1112-05-63-4			
	360 kgs (790 lbs)	EPU轮 EPU	1112-05-78-1	1112-05-78-2	1112-05-78-4			
	450 kgs (990 lbs)	EQPU轮 EQPU	1112-05-81-1	1112-05-81-2	1112-05-81-4			
	200 kgs (440 lbs)	铁芯NBR橡胶轮 NBR Rubber on Cast	1112-05-04-1	1112-05-04-2	1112-05-04-4	滚针 Roller Bearing		
	360 kgs (790 lbs)	鐵芯聚氨酯 PU on Cast	1112-05-33-1	1112-05-33-2	1112-05-33-4			
	400 kgs (880 lbs)	电木轮 Phenolic	1112-05-25-1	1112-05-25-2	1112-05-25-4			
	340 kgs (750 lbs)	高科技耐磨聚氨酯 PU on PP Core	1112-05-31-1	1112-05-31-2	1112-05-31-4			
	400 kgs (880 lbs)	SS铁轮 Cast Iron	1112-05-21-1	1112-05-21-2	1112-05-21-4			
	400 kgs (880 lbs)	VG轮 V Groove	1112-05-28-1	1112-05-28-2	1112-05-28-4			
	140 kgs (300 lbs)	超级人造胶(圆弧形) TPR on PP Core (Round Shape)	1112-05-26-1	1112-05-26-2	1112-05-26-4	滚针 Roller Bearing 精密长珠轴承 Annular ball bearing		
	180 kgs (396 lbs)	超级人造胶(平面) TPR on PP Core (Flat Shape)	1112-05-52-1	1112-05-52-2	1112-05-52-4			
	180 kgs (396 lbs)	W超级人造胶 WPPR	1112-05-47-1	1112-05-47-2	1112-05-47-4			
	227 kgs (500 lbs)	W全效轮 W Resolute	1112-05-48-1	1112-05-48-2	1112-05-48-4			
	227 kgs (500 lbs)	全效轮 (平面) Resolute(Flat Shape)	1112-05-51-1	1112-05-51-2	1112-05-51-4			
	170 kgs (375 lbs)	全效轮(圆弧形) Resolute(Round Shape)	1112-05-44-1	1112-05-44-2	1112-05-44-4			
	261 kgs (575 lbs)	HDR轮(圆弧形) HD Resolute Wheel(Round Shape)	1112-05-54-1	1112-05-54-2	1112-05-54-4			
	340 kgs (750 lbs)	WHDR轮 WHDR	1112-05-55-1	1112-05-55-2	1112-05-55-4			



 轮径x轮宽 Diameter×Width	 载重 Load	 材质 Material	 型号 Item No.			 轴承 Bearing	 总高 Overall Height	 回旋半径 Swivel radius
			固定 Fixed	活动 Swivel	刹车 Brake			
150mm×50mm (6" × 2")	410 kgs (900 lbs)	高科技耐磨聚氨酯(圆弧形) PU on PP Core(Round Shape)	1112-06-43-1	1112-06-43-2	1112-06-43-4	滚珠 Ball Bearing	190mm (7-1/2")	活动 111mm 侧刹 111mm AK刹 154mm Swivel 111mm Swivel W/Side Brake 111mm AK Total Lock Brake 154mm
	260 kgs (570 lbs)	铁芯聚氨酯(圆弧形) PU on Cast (Round Shape)	1112-06-42-1	1112-06-42-2	1112-06-42-4			
	410 kgs (900 lbs)	SPU轮 CPU on PP core	1112-06-63-1	1112-06-63-2	1112-06-63-4			
	450 kgs (990 lbs)	EPU轮 EPU	1112-06-78-1	1112-06-78-2	1112-06-78-4			
	450 kgs (990 lbs)	EQPU轮 EQPU	1112-06-81-1	1112-06-81-2	1112-06-81-4			
	250 kgs (550 lbs)	铁芯NBR橡胶轮 NBR Rubber on Cast	1112-06-04-1	1112-06-04-2	1112-06-04-4	滚针 Roller Bearing		
	410 kgs (900 lbs)	鐵芯聚氨酯 PU on Cast	1112-06-33-1	1112-06-33-2	1112-06-33-4			
	420 kgs (925 lbs)	电木轮 Phenolic	1112-06-25-1	1112-06-25-2	1112-06-25-4			
	410 kgs (900 lbs)	高科技耐磨聚氨酯 PU on PP Core	1112-06-31-1	1112-06-31-2	1112-06-31-4			
	420 kgs (925 lbs)	SS铁轮 Cast Iron	1112-06-21-1	1112-06-21-2	1112-06-21-4			
	420 kgs (925 lbs)	VG轮 V Groove	1112-06-28-1	1112-06-28-2	1112-06-28-4	滚针 Roller Bearing 精密长珠轴承 Annular ball bearing		
	160 kgs (350 lbs)	超级人造胶(圆弧形) TPR on PP Core(Round Shape)	1112-06-26-1	1112-06-26-2	1112-06-26-4			
	210 kgs (462 lbs)	超级人造胶(平面) TPR on PP Core(Flat Shape)	1112-06-52-1	1112-06-52-2	1112-06-52-4			
	210 kgs (462 lbs)	W超级人造胶 WPPR	1112-06-47-1	1112-06-47-2	1112-06-47-4			
	272 kgs (600 lbs)	W全效轮 W Resolute	1112-06-48-1	1112-06-48-2	1112-06-48-4			
	272 kgs (600 lbs)	全效轮(平面) Resolute(Flat Shape)	1112-06-51-1	1112-06-51-2	1112-06-51-4			
	204 kgs (450 lbs)	全效轮(圆弧形) Resolute(Round Shape)	1112-06-44-1	1112-06-44-2	1112-06-44-4			
	295 kgs (650 lbs)	HDR轮(圆弧形) HD Resolute Wheel(Round Shape)	1112-06-54-1	1112-06-54-2	1112-06-54-4			
	410 kgs (900 lbs)	WHDR轮 WHDR	1112-06-55-1	1112-06-55-2	1112-06-55-4			
200mm×50mm (8" × 2")	420 kgs (925 lbs)	高科技耐磨聚氨酯(圆弧形) PU on PP Core(Round Shape)	1112-08-43-1	1112-08-43-2	1112-08-43-4	滚珠 Ball Bearing	240mm (9-1/2")	活动 140mm 侧刹 140mm AK刹 160mm Swivel 140mm Swivel W/Side Brake 140mm AK Total Lock Brake 160mm
	300 kgs (660 lbs)	铁芯聚氨酯(圆弧形) PU on Cast (Round Shape)	1112-08-42-1	1112-08-42-2	1112-08-42-4			
	420 kgs (925 lbs)	SPU轮 CPU on PP core	1112-08-63-1	1112-08-63-2	1112-08-63-4			
	450 kgs (990 lbs)	EPU轮 EPU	1112-08-78-1	1112-08-78-2	1112-08-78-4			
	450 kgs (990 lbs)	EQPU轮 EQPU	1112-08-81-1	1112-08-81-2	1112-08-81-4			
	300 kgs (660 lbs)	铁芯NBR橡胶轮 NBR Rubber on Cast	1112-08-04-1	1112-08-04-2	1112-08-04-4	滚针 Roller Bearing		
	420 kgs (925 lbs)	铁芯聚氨酯 PU on Cast	1112-08-33-1	1112-08-33-2	1112-08-33-4			
	450 kgs (990 lbs)	电木轮 Phenolic	1112-08-25-1	1112-08-25-2	1112-08-25-4			
	420 kgs (925 lbs)	高科技耐磨聚氨酯 PU on PP Core	1112-08-31-1	1112-08-31-2	1112-08-31-4			
	450 kgs (990 lbs)	SS铁轮 Cast Iron	1112-08-21-1	1112-08-21-2	1112-08-21-4			
	450 kgs (990 lbs)	VG轮 V Groove	1112-08-28-1	1112-08-28-2	1112-08-28-4	滚针 Roller Bearing 精密长珠轴承 Annular ball bearing		
	185 kgs (400 lbs)	超级人造胶(圆弧形) TPR on PP Core (Round Shape)	1112-08-26-1	1112-08-26-2	1112-08-26-4			
	230 kgs (506 lbs)	超级人造胶(平面) TPR on PP Core(Flat Shape)	1112-08-52-1	1112-08-52-2	1112-08-52-4			
	230 kgs (506 lbs)	W超级人造胶 WPPR	1112-08-47-1	1112-08-47-2	1112-08-47-4			
	306 kgs (675 lbs)	W全效轮 W Resolute	1112-08-48-1	1112-08-48-2	1112-08-48-4			
	306 kgs (675 lbs)	全效轮(平面) Resolute(Flat Shape)	1112-08-51-1	1112-08-51-2	1112-08-51-4			
	272 kgs (600 lbs)	全效轮(圆弧形) Resolute(Round Shape)	1112-08-44-1	1112-08-44-2	1112-08-44-4			
	318 kgs (700 lbs)	HDR轮(圆弧形) HD Resolute Wheel(Round Shape)	1112-08-54-1	1112-08-54-2	1112-08-54-4			
	430 kgs (950 lbs)	WHDR轮 WHDR	1112-08-55-1	1112-08-55-2	1112-08-55-4			