

**1125 Series** 中重型**中荷重系列****Heavy Duty Institutional Caster**

- 支架一体成型，流线美观，坚固耐用，荷重高，适用于讲究美观，又强调荷重的环境。
- Pressed steel yoke with good outlook and added strength; ideal for application requiring both aesthetic and heavy load.

载重 Load
140-400 kg



» 特色区 Features



后刹(只有8")
Center Lock Brake
(For 8" only)



侧刹(只有4", 5", 6")
Side Lock Brake
(For 4", 5", 6" only)



轮子可附防尘盖
Thread guard

» 轮子选项 Wheel Options

铝芯AQP
QPU On AL Core



QPU轮
QPU



铁芯聚氨酯
PU on Cast



铁芯NBR橡胶轮
NBR Rubber on Cast



尼龙轮
Nylon



W全效轮
W Resolute



CPD轮
CPD



三星轮
Rubber on Cast



高弹力橡胶轮
Resilient Rubber on PA core



WMRC轮
WMRC



滚珠轴承
Ball Bearing

» 底板规格 TOP PLATE SIZE AND BOLT HOLE SPACING

编号 Suffix	底板尺寸 Top Plate Size	底板孔距 Bolt Hole Spacing	安装帽尺寸 Attaching Bolt Size
1	105 x 115mm (4-1/8" x 4-1/2")	70 x 85 mm (2-5/8"~3"x3"~3-5/8")	9.5mm (3/8")



 轮径x轮宽 DiameterxWidth	 载重 Load	 材质 Material	 型号 Item No.			 轴承 Bearing	 总高 Overall Height	 回旋半径 Swivel radius
			固定 Fixed	活动 Swivel	刹车 Brake			
100mm x 32mm (4" x 1-1/4")	200 kgs (440 lbs)	尼龙轮 Nylon	1125-04-07-1	1125-04-07-2	1125-04-07-4	滚珠 Ball Bearing	136.5mm (5-3/8")	活动 87mm 煞车 99.5mm Swivel 87mm Swivel W/Brake 99.5mm
	150 kgs (330 lbs)	CPD轮 CPD	1125-04-49-1	1125-04-49-2	1125-04-49-4			
100mm x 34mm (4" x 1-1/3")	200 kgs (440 lbs)	铁芯聚氨酯 PU on Cast	1125-04-33-1	1125-04-33-2	1125-04-33-4	滚珠 Ball Bearing	136.5mm (5-3/8")	活动 87mm 煞车 99.5mm Swivel 87mm Swivel W/Brake 99.5mm
	300 kgs (660 lbs)	QPU轮 QPU	1125-04-80-1	1125-04-80-2	1125-04-80-4			
	150 kgs (330 lbs)	高弹力橡胶轮 Resilient Rubber on PA core	1125-04-10-1	1125-04-10-2	1125-04-10-4			
100mm x 36mm (4" x 1-7/16")	325 kgs (715 lbs)	铝芯AQPU轮(圆弧) QPU on AL Core (Round)	1125-04-87-1	1125-04-87-2	1125-04-87-4	滚珠 Ball Bearing	136.5mm (5-3/8")	活动 87mm 煞车 99.5mm Swivel 87mm Swivel W/Brake 99.5mm
100mm x 38mm (4" x 1-1/2")	150 kgs (330 lbs)	三星轮 Rubber on Cast	1125-04-03-1	1125-04-03-2	1125-04-03-4	滚珠 Ball Bearing	136.5mm (5-3/8")	活动 87mm 煞车 99.5mm Swivel 87mm Swivel W/Brake 99.5mm
	140 kgs (308 lbs)	W全效轮 W Resolute	1125-04-64-1	1125-04-64-2	1125-04-64-4			
	150 kgs (330 lbs)	铁芯NBR橡胶轮 NBR Rubber on Cast	1125-04-04-1	1125-04-04-2	1125-04-04-4			
100mm x 40mm (4" x 1-9/16")	350 kgs (770 lbs)	铝芯AQPU轮(圆弧) QPU on AL Core (Round)	1125-04(40)-87-1	1125-04(40)-87-2	1125-04(40)-87-4	滚珠 Ball Bearing	136.5mm (5-3/8")	活动 87mm 煞车 99.5mm Swivel 87mm Swivel W/Brake 99.5mm
125mm x 38mm (5" x 1-1/2")	170 kgs (375 lbs)	高弹力橡胶轮 Resilient Rubber on PA core	1125-05-10-1	1125-05-10-2	1125-05-10-4	滚珠 Ball Bearing	136.5mm (6-7/16")	活动 101.5mm 煞车 101.5mm Swivel 101.5mm Swivel W/Brake 101.5mm
	250 kgs (550 lbs)	W全效轮 W Resolute	1125-05-64-1	1125-05-64-2	1125-05-64-4			
125mm x 40mm (5" x 1-9/16")	250 kgs (550 lbs)	尼龙轮 Nylon	1125-05-07-1	1125-05-07-2	1125-05-07-4	滚珠 Ball Bearing	163mm (6-7/16")	活动 101.5mm 煞车 101.5mm Swivel 101.5mm Swivel W/Brake 101.5mm
	200 kgs (440 lbs)	CPD轮 CPD	1125-05-49-1	1125-05-49-2	1125-05-49-4			
	250 kgs (550 lbs)	铁芯聚氨酯 PU on Cast	1125-05-33-1	1125-05-33-2	1125-05-33-4			
	350 kgs (770 lbs)	QPU轮 QPU	1125-05-80-1	1125-05-80-2	1125-05-80-4			
	200 kgs (440 lbs)	铁芯NBR橡胶轮 NBR Rubber on Cast	1125-05-04-1	1125-05-04-2	1125-05-04-4			
	350 kgs (770 lbs)	铝芯AQPU轮(圆弧) QPU on AL Core (Round)	1125-05-87-1	1125-05-87-2	1125-05-87-4			
	200 kgs (440 lbs)	三星轮 Rubber on Cast	1125-05-03-1	1125-05-03-2	1125-05-03-4			
150mm x 38mm (6" x 1-1/2")	190 kgs (415 lbs)	高弹力橡胶轮 Resilient Rubber on PA core	1125-06-10-1	1125-06-10-2	1125-06-10-4	滚珠 Ball Bearing	187mm (7-3/8")	活动 113mm 煞车 113mm Swivel 113mm Swivel W/Brake 113mm
	180 kgs (396 lbs)	W全效轮 W Resolute	1125-06-64-1	1125-06-64-2	1125-06-64-4			



 轮径x轮宽 DiameterxWidth	 载重 Load	 材质 Material	 型号 Item No.			 轴承 Bearing	 总高 Overall Height	 回旋半径 Swivel radius
			固定 Fixed	活动 Swivel	刹车 Brake			
150mm x 40mm (6" x 1-9/16")	350 kgs (770 lbs)	尼龙轮 Nylon	1125-06-07-1	1125-06-07-2	1125-06-07-4	滚珠 Ball Bearing	187mm (7-3/8")	活动 113mm 煞车 113mm Swivel 113mm Swivel W/Brake 113mm
	350 kgs (770 lbs)	WMRC轮 WMRC	1125-06-45-1	1125-06-45-2	1125-06-45-4			
	250 kgs (550 lbs)	CPD轮 CPD	1125-06-49-1	1125-06-49-2	1125-06-49-4			
150mm x 42mm (6" x 1-11/16")	350 kgs (770 lbs)	铁芯聚氨酯 PU on Cast	1125-06-33-1	1125-06-33-2	1125-06-33-4	滚珠 Ball Bearing	187mm (7-3/8")	活动 113mm 煞车 113mm Swivel 113mm Swivel W/Brake 113mm
	400 kgs (880 lbs)	QPU轮 QPU	1125-06-80-1	1125-06-80-2	1125-06-80-4			
	400 kgs (880 lbs)	铝芯AQPU轮(圆弧) QPU on AL Core (Round)	1125-06-87-1	1125-06-87-2	1125-06-87-4			
	250 kgs (550 lbs)	铁芯NBR橡胶轮 NBR Rubber on Cast	1125-06-04-1	1125-06-04-2	1125-06-04-4			
150mm x 45mm (6" x 1-3/4")	220 kgs (485 lbs)	三星轮 Rubber on Cast	1125-06-03-1	1125-06-03-2	1125-06-03-4	滚珠 Ball Bearing	187mm (7-3/8")	活动 113mm 煞车 113mm Swivel 113mm Swivel W/Brake 113mm
200mm x 44mm (8" x 1-3/4")	300 kgs (660 lbs)	铁芯NBR橡胶轮 NBR Rubber on Cast	1125-08-04-1	1125-08-04-2	1125-08-04-4	滚珠 Ball Bearing	240mm (9-7/16")	活动 140.5mm 煞车 140.5mm Swivel 140.5mm Swivel W/Brake 140.5mm
200mm x 48mm (8" x 1-7/8")	260 kgs (570 lbs)	三星轮 Rubber on Cast	1125-08-03-1	1125-08-03-2	1125-08-03-4	滚珠 Ball Bearing	240mm (9-7/16")	活动 140.5mm 煞车 140.5mm Swivel 140.5mm Swivel W/Brake 140.5mm
	300 kgs (660 lbs)	高弹力橡胶轮 Resilient Rubber on PA core	1125-08-10-1	1125-08-10-2	1125-08-10-4			
200mm x 50mm (8" x 2")	400 kgs (880 lbs)	铁芯聚氨酯 PU on Cast	1125-08-33-1	1125-08-33-2	1125-08-33-4	滚珠 Ball Bearing	240mm (9-7/16")	活动 140.5mm 煞车 140.5mm Swivel 140.5mm Swivel W/Brake 140.5mm
	400 kgs (880 lbs)	QPU轮 QPU	1125-08-80-1	1125-08-80-2	1125-08-80-4			
	306 kgs (675 lbs)	W全效轮 W Resolute	1125-08-64-1	1125-08-64-2	1125-08-64-4			
	400 kgs (880 lbs)	尼龙轮 Nylon	1125-08-07-1	1125-08-07-2	1125-08-07-4			
	400 kgs (880 lbs)	WMRC轮 WMRC	1125-08-45-1	1125-08-45-2	1125-08-45-4			
	400 kgs (880 lbs)	铝芯AQPU轮(圆弧) QPU on AL Core (Round)	1125-08-87-1	1125-08-87-2	1125-08-87-4			
	400 kgs (880 lbs)	铝芯AQPU轮(平面) QPU on AL Core (Flat)	1125-08-87-1	1125-08-87-2	1125-08-87-4			
	300 kgs (660 lbs)	CPD轮 CPD	1125-08-49-1	1125-08-49-2	1125-08-49-4			