



## 1152 Series 重型

## B型抗阻系列

### Anti-Friction Caster (B Type)

- 高负载且高阻抗，可用手推，适用于汽车厂、汽车装配厂、玻璃厂、纺织厂等负载的车间，另可附防缠丝及防尘盖，属得胜专利产品，可以有效防止脚轮因灰尘或缠丝而无法转动，提高脚轮使用寿命。
- Heavy duty caster with less resistance to move the equipment more efficiently, safely and effortlessly. This product is designed to minimize the manual starting, rolling and swiveling forces required to move equipments while at the same time, it is also build to survive the harshest towing application throughout various industries. With patented thread guards and dust covers to prevent swivel failure caused by build-up of strings between the wheel and fork legs, as well as the dust in the wheel bearing. Suitable for towing application and indoor transfer of material of finished goods, such as automobile, glass, textile, tyre industries, etc.

载重 Load  
220-2500kg

省力超过30%  
Sav ng force  
required  
by 30%




### » 特色区 Features



轮子可附塑料防尘盖(供选择)  
Plastic Thread Guard(optinal)



轮子可附金属防尘盖(供选择)  
Metal Thread Guard(optinal)



AK刹  
Swivel W/Center lock(AK Type)



轮子可附防缠丝盖(供选择)  
Thread guard specially for  
textile industry(optinal)



自动巡向轮 (供选择)  
Self-Align (optinal)



PU轮面可以变化硬度  
Different PU  
tread handness available



## » 轮子选项 Wheel Options



铁芯聚氨酯  
PU on Cast



三星轮  
Rubber on Cast



铁芯NBR橡胶轮  
NBR Rubber on Cast



尼龙轮  
Nylon



WMRC轮  
WMRC



QPU轮  
QPU



滚珠轴承  
Ball Bearing



APU轮  
PU on AL Core



CPD轮  
CPD



铁轮  
Cast Iron



环保NBR橡胶轮  
Non-marking Rubber on Cast



EQPU轮  
EQPU



铁芯聚氨酯(2050A/2050B)  
PU on Cast (2050A/2050B)



ZQPU轮(双轮)  
ZQPU (Dual Wheels)



VPU轮  
VPU



EPU轮  
EPU



VQPU轮  
VQPU



铁芯VXPU  
XPU on Iron Core



铝芯QQ橡胶轮  
Recilent rubber on AL Core



环保牵引NBR轮  
Non-marking NBR Rubber  
on Cast



铝芯AQPU  
QPU on AL Core

## » 底板规格 TOP PLATE SIZE AND BOLT HOLE SPACING

| 脚轮尺寸<br>Caster Size | 底板尺寸<br>Top Plate Size           | 底板孔距<br>Bolt Hole Spacing                     | 安装尼帽尺寸<br>Attaching Bolt Size |
|---------------------|----------------------------------|-----------------------------------------------|-------------------------------|
| 5" 6" 8"            | 110 x 140 mm (4-11/32" x 5-1/2") | 75 x 110 mm (常规标准底板)<br>(2-15/16" x 4-11/32") | 12 mm (1/2")                  |
|                     | 110 x 140 mm (4-11/32" x 5-1/2") | 80 x 105 mm (欧规孔距)<br>(3-5/32" x 4-1/8")      | 12 mm (1/2")                  |
|                     | 130 x 130 mm (5-1/8" x 5-1/8")   | 105 x 105 mm (4-1/8" x 4-1/8")                | 9 mm (3/8")                   |
|                     | 130 x 130 mm (5-1/8" x 5-1/8")   | 105 x 105 mm (4-1/8" x 4-1/8")                | 12 mm (1/2")                  |
|                     | 130 x 165 mm (5-1/8" x 6-1/2")   | 100 x 130 mm (3-15/16" x 5-1/8")              | 12 mm (1/2")                  |
|                     | 114 x 159 mm (4-1/2" x 6-1/4")   | 73.8 x 129.4 mm (2-29/32" x 5-3/32")          | 12 mm (1/2")                  |
| 10"                 | 130 x 167 mm (5-1/8" x 6-9/16")  | 85 x 140 mm (3-11/32" x 5-1/2")               | 12 mm (1/2")                  |
| 12"                 | 130 x 167 mm (5-1/8" x 6-9/16")  | 85 x 140 mm (3-11/32" x 5-1/2")               | 12 mm (1/2")                  |



| <br>轮径x轮宽<br>DiameterxWidth | <br>载重<br>Load | <br>材质<br>Material | 型号            |               |               | <br>轴承<br>Bearing | <br>总高<br>Overall Height | <br>回旋半径<br>Swivel radius |
|--------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|---------------|---------------|---------------|------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
|                                                                                                              |                                                                                                 |                                                                                                     | 固定            | 活动            | 刹车            |                                                                                                      |                                                                                                             |                                                                                                              |
| 125mm x 40mm<br>(5"x1-9/16")                                                                                 | 340 kgs (750 lbs)                                                                               | 铁芯聚氨酯<br>PU on Cast                                                                                 | 1152-05-33-1  | 1152-05-33-2  | 1152-05-33-4  | 滚珠轴承<br>Ball Bearing                                                                                 | 170mm<br>(6-11/16")                                                                                         | 活动 107 mm<br>Swivel 107mm<br><br>AK煞 158 mm<br>Swivel W/AK Lock<br>Brake 158mm                               |
|                                                                                                              | 220 kgs (485 lbs)                                                                               | 三星轮<br>Rubber on Cast                                                                               | 1152-05-03-1  | 1152-05-03-2  | 1152-05-03-4  |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 300 kgs (660 lbs)                                                                               | 尼龙轮<br>Nylon                                                                                        | 1152-05-07-1  | 1152-05-07-2  | 1152-05-07-4  |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 300 kgs (660 lbs)                                                                               | APU轮(圆弧)<br>PU on AL Core (Round)                                                                   | 1152-05-108-1 | 1152-05-108-2 | 1152-05-108-4 |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 350 kgs (770 lbs)                                                                               | 铝芯AQPUL轮(圆弧)<br>QPU on AL Core (Round)                                                              | 1152-05-87-1  | 1152-05-87-2  | 1152-05-87-4  |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 250 kgs (550 lbs)                                                                               | 铁芯NBR橡胶轮<br>NBR Rubber on Cast                                                                      | 1152-05-04-1  | 1152-05-04-2  | 1152-05-04-4  |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 250 kgs (550 lbs)                                                                               | CPD轮<br>CPD                                                                                         | 1152-05-49-1  | 1152-05-49-2  | 1152-05-49-4  |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 250 kgs (550 lbs)                                                                               | 环保NBR橡胶轮<br>Non-marking Rubber on Cast                                                              | 1152-05-11-1  | 1152-05-11-2  | 1152-05-11-4  |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 250 kgs (550 lbs)                                                                               | 环保牵引NBR轮<br>Non-marking NBR Rubber on Cast                                                          | 1152-05-90-1  | 1152-05-90-2  | 1152-05-90-4  |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 300 kgs (660 lbs)                                                                               | 铝芯QQ橡胶轮<br>Recilent rubber on AL Core                                                               | 1152-05-89-1  | 1152-05-89-2  | 1152-05-89-4  |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 450 kgs (990 lbs)                                                                               | QPU轮(圆弧)<br>QPU (Round)                                                                             | 1152-05-80-1  | 1152-05-80-2  | 1152-05-80-4  |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 500 kgs (1100 lbs)                                                                              | QPU轮(平面)<br>QPU (Flat)                                                                              | 1152-05-80-1  | 1152-05-80-2  | 1152-05-80-4  |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 340 kgs (750 lbs)                                                                               | EPU轮(圆弧)<br>EPU (Round Shape)                                                                       | 1152-05-78-1  | 1152-05-78-2  | 1152-05-78-4  |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 390 kgs (860 lbs)                                                                               | EPU轮(平面)<br>EPU (Flat Shape)                                                                        | 1152-05-78-1  | 1152-05-78-2  | 1152-05-78-4  |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 450 kgs (990 lbs)                                                                               | EQPU轮(圆弧)<br>EQPU (Round Shape)                                                                     | 1152-05-81-1  | 1152-05-81-2  | 1152-05-81-4  |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 500 kgs (1100 lbs)                                                                              | EQPU轮(平面)<br>EQPU (Flat Shape)                                                                      | 1152-05-81-1  | 1152-05-81-2  | 1152-05-81-4  |                                                                                                      |                                                                                                             |                                                                                                              |
| 125mm x 50mm<br>(5" x 2")                                                                                    | 400 kgs (880 lbs)                                                                               | APU轮(平面)<br>PU on AL Core (Flat)                                                                    | 1152-05-108-1 | 1152-05-108-2 | 1152-05-108-4 |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 450 kgs (990 lbs)                                                                               | 铝芯AQPUL轮(平面)<br>QPU on AL Core (Flat)                                                               | 1152-05-87-1  | 1152-05-87-2  | 1152-05-87-4  |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 420 kgs (920 lbs)                                                                               | QPU轮(平面)<br>QPU (Flat)                                                                              | 1152-05-80-1  | 1152-05-80-2  | 1152-05-80-4  |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 500 kgs (1100 lbs)                                                                              | EQPU轮(圆弧)<br>EQPU (Round)                                                                           | 1152-05-81-1  | 1152-05-81-2  | 1152-05-81-4  |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 500 kgs (1100 lbs)                                                                              | EPU轮(圆弧)<br>EPU (Round)                                                                             | 1152-05-78-1  | 1152-05-78-2  | 1152-05-78-4  |                                                                                                      |                                                                                                             |                                                                                                              |
| 125mm x 51mm<br>(5" x 2")                                                                                    | 450 kgs (990 lbs)                                                                               | ZQPU轮(双轮)<br>ZQPU (Dual Wheels)                                                                     | 1152-05-101-1 | 1152-05-101-2 | 1152-05-101-4 |                                                                                                      |                                                                                                             |                                                                                                              |
| 138mm x 36.5mm<br>(5-7/16"x1-7/16")                                                                          | 700 kgs (1540 lbs)                                                                              | 铁轮<br>Cast Iron                                                                                     | 1152-06-14-1  | 1152-06-14-2  | —             | 滚珠轴承<br>Ball Bearing                                                                                 | 191mm<br>(7-17/32")                                                                                         | 活动 111 mm<br>Swivel 111mm                                                                                    |
| 150mm x 40mm<br>(6"x1-9/16")                                                                                 | 350 kgs (770 lbs)                                                                               | 铁芯NBR橡胶轮<br>NBR Rubber on Cast                                                                      | 1152-06-04-1  | 1152-06-04-2  | 1152-06-04-4  | 滚珠轴承<br>Ball Bearing                                                                                 | 197mm<br>(7-3/4")                                                                                           | 活动 119 mm<br>Swivel 119mm<br><br>AK煞 160 mm<br>Swivel W/AK Lock<br>Brake 160mm                               |
|                                                                                                              | 400 kgs (880 lbs)                                                                               | 尼龙轮<br>Nylon                                                                                        | 1152-06-07-1  | 1152-06-07-2  | 1152-06-07-4  |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 350 kgs (770 lbs)                                                                               | CPD轮<br>CPD                                                                                         | 1152-06-49-1  | 1152-06-49-2  | 1152-06-49-4  |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 300 kgs (660 lbs)                                                                               | 环保NBR橡胶轮<br>Non-marking Rubber on Cast                                                              | 1152-06-11-1  | 1152-06-11-2  | 1152-06-11-4  |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 300 kgs (660 lbs)                                                                               | 环保牵引NBR轮<br>Non-marking NBR Rubber on Cast                                                          | 1152-06-90-1  | 1152-06-90-2  | 1152-06-90-4  |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 350 kgs (770 lbs)                                                                               | 铝芯QQ橡胶轮<br>Recilent rubber on AL Core                                                               | 1152-06-89-1  | 1152-06-89-2  | 1152-06-89-4  |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 400 kgs (880 lbs)                                                                               | WMRC轮<br>WMRC                                                                                       | 1152-06-45-1  | 1152-06-45-2  | 1152-06-45-4  |                                                                                                      |                                                                                                             |                                                                                                              |



| <br>轮径x轮宽<br>DiameterxWidth | <br>载重<br>Load | <br>材质<br>Material | 型号                |                   |                   | <br>轴承<br>Bearing | <br>总高<br>Overall Height | <br>回旋半径<br>Swivel radius |
|--------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-------------------|-------------------|-------------------|------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
|                                                                                                              |                                                                                                 |                                                                                                     | 固定                | 活动                | 刹车                |                                                                                                      |                                                                                                             |                                                                                                              |
| 150mm x 42mm<br>(6"x1-5/8")                                                                                  | 410 kgs (900 lbs)                                                                               | 铁芯聚氨酯<br>PU on Cast                                                                                 | 1152-06-33-1      | 1152-06-33-2      | 1152-06-33-4      | 滚珠轴承<br>Ball Bearing                                                                                 | 197mm<br>(7-3/4")                                                                                           | 活动 119 mm<br>Swivel 119mm<br><br>AK煞 160 mm<br>Swivel W/AK Lock<br>Brake 160mm                               |
|                                                                                                              | 400 kgs (880 lbs)                                                                               | APU轮(圆弧)<br>PU on AL Core (Round)                                                                   | 1152-06-108-1     | 1152-06-108-2     | 1152-06-108-4     |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 450 kgs (990 lbs)                                                                               | 铝芯AQPUPU轮(圆弧)<br>QPU on AL Core (Round)                                                             | 1152-06-87-1      | 1152-06-87-2      | 1152-06-87-4      |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 550 kgs (1200 lbs)                                                                              | QPU轮(圆弧)<br>QPU (Round)                                                                             | 1152-06-80-1      | 1152-06-80-2      | 1152-06-80-4      |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 600 kgs (1320 lbs)                                                                              | QPU輪(平面)<br>QPU(Flat)                                                                               | 1152-06-80-1      | 1152-06-80-2      | 1152-06-80-4      |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 500 kgs (1100 lbs)                                                                              | VPU轮(圆弧)<br>VPU (Round)                                                                             | 1152-06-82-1      | 1152-06-82-2      | 1152-06-82-4      |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 670 kgs (1475 lbs)                                                                              | VQPU轮(圆弧)<br>VQPU (Round Shape)                                                                     | 1152-06-83-1      | 1152-06-83-2      | 1152-06-83-4      |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 800 kgs (1760 lbs)                                                                              | 铁芯VXPU轮(圆弧)<br>XPU on Iron Core (Round)                                                             | 1152-06-91-1      | 1152-06-91-2      | 1152-06-91-4      |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 410 kgs (900 lbs)                                                                               | EPU轮(圆弧)<br>EPU (Round)                                                                             | 1152-06-78-1      | 1152-06-78-2      | 1152-06-78-4      |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 460 kgs (1010 lbs)                                                                              | EPU輪(平面)<br>EPU (Flat)                                                                              | 1152-06-78-1      | 1152-06-78-2      | 1152-06-78-4      |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 550 kgs (1200 lbs)                                                                              | EQPU轮(圆弧)<br>EQPU (Round)                                                                           | 1152-06-81-1      | 1152-06-81-2      | 1152-06-81-4      |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 600 kgs (1320 lbs)                                                                              | EQPU輪(平面)<br>EQPU (Flat)                                                                            | 1152-06-81-1      | 1152-06-81-2      | 1152-06-81-4      |                                                                                                      |                                                                                                             |                                                                                                              |
| 150mm x 45.5mm<br>(6"x1-13/16")                                                                              | 260 kgs (570 lbs)                                                                               | 三星轮<br>Rubber on Cast                                                                               | 1152-06-03-1      | 1152-06-03-2      | 1152-06-03-4      |                                                                                                      |                                                                                                             |                                                                                                              |
| 150mm x 50mm<br>(6" x 2")                                                                                    | 450 kgs (990 lbs)                                                                               | APU輪(平面)<br>PU on AL Core (Flat)                                                                    | 1152-06(50)-108-1 | 1152-06(50)-108-2 | 1152-06(50)-108-4 |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 500 kgs (1100 lbs)                                                                              | 铝芯AQPUPU輪(平面)<br>QPU on AL Core (Flat)                                                              | 1152-06(50)-87-1  | 1152-06(50)-87-2  | 1152-06(50)-87-4  |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 525 kgs (1155 lbs)                                                                              | QPU輪(平面)<br>QPU(Flat)                                                                               | 1152-06(50)-80-1  | 1152-06(50)-80-2  | 1152-06(50)-80-4  |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 600 kgs (1320 lbs)                                                                              | EPU輪(圆弧)<br>EPU (Round)                                                                             | 1152-06(50)-78-1  | 1152-06(50)-78-2  | 1152-06(50)-78-4  |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 600 kgs (1320 lbs)                                                                              | EQPU輪(圆弧)<br>EQPU (Round)                                                                           | 1152-06(50)-81-1  | 1152-06(50)-81-2  | 1152-06(50)-81-4  |                                                                                                      |                                                                                                             |                                                                                                              |
| 150mm x 51mm                                                                                                 | 550 kgs (1210 lbs)                                                                              | ZQPU輪(双轮)<br>ZQPU (Dual Wheels)                                                                     | 1152-06-101-1     | 1152-06-101-2     | 1152-06-101-4     | 滚珠轴承<br>Ball Bearing                                                                                 | 238mm<br>(9-3/8")                                                                                           | 活动 154 mm<br>Swivel 154mm<br><br>AK煞 179 mm<br>Swivel W/AK Lock<br>Brake 179mm                               |
| 180mm x 44mm<br>(7" x 1-3/4")                                                                                | 450 kgs (990 lbs)                                                                               | APU輪(圆弧)<br>PU on AL Core (Round)                                                                   | 1152-07-108-1     | 1152-07-108-2     | 1152-07-108-4     |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 600 kgs (1320 lbs)                                                                              | 铝芯AQPUPU輪(圆弧)<br>QPU on AL Core (Round)                                                             | 1152-07-87-1      | 1152-07-87-2      | 1152-07-87-4      |                                                                                                      |                                                                                                             |                                                                                                              |
| 180mm x 50mm<br>(7" x 2")                                                                                    | 450 kgs (990 lbs)                                                                               | 铁芯聚氨酯<br>PU on Cast                                                                                 | 1152-07-33-1      | 1152-07-33-2      | 1152-07-33-4      |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 600 kgs (1320 lbs)                                                                              | QPU輪(圆弧)<br>QPU(Round)                                                                              | 1152-07-80-1      | 1152-07-80-2      | 1152-07-80-4      |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 650 kgs (1430 lbs)                                                                              | VPU輪(圆弧)<br>VPU (Round)                                                                             | 1152-07-82-1      | 1152-07-82-2      | 1152-07-82-4      |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 650 kgs (1430 lbs)                                                                              | 铁芯VXPU輪(圆弧)<br>XPU on Iron Core (Round)                                                             | 1152-07-91-1      | 1152-07-91-2      | 1152-07-91-4      |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 650 kgs (1430 lbs)                                                                              | VQPU輪(圆弧)<br>VQPU (Round Shape)                                                                     | 1152-07-83-1      | 1152-07-83-2      | 1152-07-83-4      |                                                                                                      |                                                                                                             |                                                                                                              |
| 193mm x 46mm<br>(7-3/5"x1-13/16")                                                                            | 300 kgs (660 lbs)                                                                               | 三星轮<br>Rubber on Cast                                                                               | 1152-08-03-1      | 1152-08-03-2      | —                 | 滚珠轴承<br>Ball Bearing                                                                                 | 244.5mm<br>(9-5/8")                                                                                         | 活动 159 mm<br>Swivel 159mm                                                                                    |
| 200mm x 44mm<br>(8"x1-3/4")                                                                                  | 350 kgs (770 lbs)                                                                               | 铁芯NBR橡胶轮<br>NBR Rubber on Cast                                                                      | 1152-08-04-1      | 1152-08-04-2      | 1152-08-04-4      | 滚珠轴承<br>Ball Bearing                                                                                 | 248mm<br>(9-3/4")                                                                                           | 活动 164 mm<br>Swivel 164mm<br><br>AK煞 184 mm<br>Swivel W/AK Lock<br>Brake 184mm                               |
|                                                                                                              | 350 kgs (770 lbs)                                                                               | 环保NBR橡胶轮<br>Non-marking Rubber on Cast                                                              | 1152-08-11-1      | 1152-08-11-2      | 1152-08-11-4      |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 350 kgs (770 lbs)                                                                               | 环保牵引NBR轮<br>Non-marking NBR Rubber on Cast                                                          | 1152-08-90-1      | 1152-08-90-2      | 1152-08-90-4      |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 400 kgs (880 lbs)                                                                               | 铝芯QQ橡胶轮<br>Recilent rubber on AL Core                                                               | 1152-08-89-1      | 1152-08-89-2      | 1152-08-89-4      |                                                                                                      |                                                                                                             |                                                                                                              |
| 200mm x 45.5mm<br>(8"x1-13/16")                                                                              | 550 kgs (1200 lbs)                                                                              | 铁轮<br>Cast Iron                                                                                     | 1152-08-14-1      | 1152-08-14-2      | 1152-08-14-4      |                                                                                                      |                                                                                                             |                                                                                                              |



| <br>轮径x轮宽<br>DiameterxWidth | <br>载重<br>Load | <br>材质<br>Material | 型号               |                  |                  | <br>轴承<br>Bearing | <br>总高<br>Overall Height | <br>回旋半径<br>Swivel radius |
|--------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|------------------|------------------|------------------|------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
|                                                                                                              |                                                                                                 |                                                                                                     | 固定               | 活动               | 刹车               |                                                                                                      |                                                                                                             |                                                                                                              |
| 200mm x 50mm<br>(8" x 2")                                                                                    | 450 kgs (990 lbs)                                                                               | 铁芯聚氨酯<br>PU on Cast                                                                                 | 1152-08-33-1     | 1152-08-33-2     | 1152-08-33-4     | 滚珠轴承<br>Ball Bearing                                                                                 | 248mm<br>(9-3/4")                                                                                           | 活动 164 mm<br>Swivel 164mm<br><br>AK煞 184 mm<br>Swivel W/AK Lock<br>Brake 184mm                               |
|                                                                                                              | 450 kgs (990 lbs)                                                                               | 尼龙轮<br>Nylon                                                                                        | 1152-08-07-1     | 1152-08-07-2     | 1152-08-07-4     |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 750 kgs (1650 lbs)                                                                              | 铁芯聚氨酯(2050A/2050B)<br>PU on Cast (2050A/2050B)                                                      | 1152-08-62-1     | 1152-08-62-2     | 1152-08-62-4     |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 400 kgs (880 lbs)                                                                               | CPD轮<br>CPD                                                                                         | 1152-08-49-1     | 1152-08-49-2     | 1152-08-49-4     |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 450 kgs (990 lbs)                                                                               | WMRC轮<br>WMRC                                                                                       | 1152-08-45-1     | 1152-08-45-2     | 1152-08-45-4     |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 500 kgs (1100 lbs)                                                                              | APU轮(圆弧)<br>PU on AL Core (Round)                                                                   | 1152-08-108-1    | 1152-08-108-2    | 1152-08-108-4    |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 550 kgs (1200 lbs)                                                                              | APU轮(平面)<br>PU on AL Core (Flat)                                                                    | 1152-08-108-1    | 1152-08-108-2    | 1152-08-108-4    |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 650 kgs (1430 lbs)                                                                              | 铝芯AQPUL轮(圆弧)<br>QPU on AL Core (Round)                                                              | 1152-08-87-1     | 1152-08-87-2     | 1152-08-87-4     |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 700 kgs (1540 lbs)                                                                              | 铝芯AQPUL轮(平面)<br>QPU on AL Core (Flat)                                                               | 1152-08-87-1     | 1152-08-87-2     | 1152-08-87-4     |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 670 kgs (1475 lbs)                                                                              | QPU轮(圆弧)<br>QPU (Round)                                                                             | 1152-08-80-1     | 1152-08-80-2     | 1152-08-80-4     |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 720 kgs (1580 lbs)                                                                              | QPU轮(平面)<br>QPU (Flat)                                                                              | 1152-08-80-1     | 1152-08-80-2     | 1152-08-80-4     |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 670 kgs (1475 lbs)                                                                              | VPU轮(圆弧)<br>VPU (Round)                                                                             | 1152-08-82-1     | 1152-08-82-2     | 1152-08-82-4     |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 800 kgs (1760 lbs)                                                                              | VQPU轮(圆弧)<br>VQPU (Round)                                                                           | 1152-08-83-1     | 1152-08-83-2     | 1152-08-83-4     |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 1100 kgs (2420 lbs)                                                                             | 铁芯VXPU轮(圆弧)<br>XPU on Iron Core (Round)                                                             | 1152-08-91-1     | 1152-08-91-2     | 1152-08-91-4     |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 650 kgs (1430 lbs)                                                                              | EPU轮(圆弧)<br>EPU (Round Shape)                                                                       | 1152-08-78-1     | 1152-08-78-2     | 1152-08-78-4     |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 700 kgs (1540 lbs)                                                                              | EPU轮(平面)<br>EPU (Flat Shape)                                                                        | 1152-08-78-1     | 1152-08-78-2     | 1152-08-78-4     |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 750 kgs (1650 lbs)                                                                              | EQPU轮(圆弧)<br>EQPU (Round Shape)                                                                     | 1152-08-81-1     | 1152-08-81-2     | 1152-08-81-4     |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 800 kgs (1760 lbs)                                                                              | EQPU轮(平面)<br>EQPU (Flat Shape)                                                                      | 1152-08-81-1     | 1152-08-81-2     | 1152-08-81-4     |                                                                                                      |                                                                                                             |                                                                                                              |
| 200mm x 51mm<br>(8" x 2")                                                                                    | 650 kgs (1430 lbs)                                                                              | ZQPU轮(双轮)<br>ZQPU (Dual Wheels)                                                                     | 1152-08-101-1    | 1152-08-101-2    | 1152-08-101-4    |                                                                                                      |                                                                                                             |                                                                                                              |
| 250mm x 50mm<br>(10" x 2")                                                                                   | 400 kgs (880 lbs)                                                                               | 铁芯NBR橡胶轮<br>NBR Rubber on Cast                                                                      | 1152-10-04-1     | 1152-10-04-2     | 1152-10-04-4     | 滚珠轴承<br>Ball Bearing                                                                                 | 305mm<br>(12")                                                                                              | 活动 193 mm<br>Swivel 193 mm<br><br>AK煞 205 mm<br>Swivel W/AK Lock<br>Brake 205mm                              |
|                                                                                                              | 400 kgs (880 lbs)                                                                               | 环保NBR橡胶轮<br>Non-marking Rubber on Cast                                                              | 1152-10-11-1     | 1152-10-11-2     | 1152-10-11-4     |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 600 kgs (1320 lbs)                                                                              | 铁芯聚氨酯<br>PU on Cast                                                                                 | 1152-10-33-1     | 1152-10-33-2     | 1152-10-33-4     |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 800 kgs (1760 lbs)                                                                              | 尼龙轮<br>Nylon                                                                                        | 1152-10-07-1     | 1152-10-07-2     | 1152-10-07-4     |                                                                                                      |                                                                                                             |                                                                                                              |
| 250mm x 62mm<br>(10"x2-7/16")                                                                                | 400 kgs (880 lbs)                                                                               | 铁芯NBR橡胶轮<br>NBR Rubber on Cast                                                                      | 1152-10(62)-04-1 | 1152-10(62)-04-2 | 1152-10(62)-04-4 |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 400 kgs (880 lbs)                                                                               | 环保NBR橡胶轮<br>Non-marking Rubber on Cast                                                              | 1152-10(62)-11-1 | 1152-10(62)-11-2 | 1152-10(62)-11-4 |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 600 kgs (1320 lbs)                                                                              | 铁芯聚氨酯<br>PU on Cast                                                                                 | 1152-10-33-1     | 1152-10-33-2     | 1152-10-33-4     |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 400 kgs (880 lbs)                                                                               | 环保牵引NBR轮<br>Non-marking NBR Rubber on Cast                                                          | 1152-10-90-1     | 1152-10-90-2     | 1152-10-90-4     |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 900 kgs (1980 lbs)                                                                              | QPU轮(圆弧)<br>QPU (Round)                                                                             | 1152-10-80-1     | 1152-10-80-2     | 1152-10-80-4     |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 900 kgs (1980 lbs)                                                                              | QPU轮(平面)<br>QPU (Flat)                                                                              | 1152-10-80-1     | 1152-10-80-2     | 1152-10-80-4     |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 1000 kgs (2200 lbs)                                                                             | VPU轮(圆弧)<br>VPU (Round)                                                                             | 1152-10-82-1     | 1152-10-82-2     | 1152-10-82-4     |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 1200 kgs (2640 lbs)                                                                             | VQPU轮(圆弧)<br>VQPU (Round)                                                                           | 1152-10-83-1     | 1152-10-83-2     | 1152-10-83-4     |                                                                                                      |                                                                                                             |                                                                                                              |
|                                                                                                              | 1500 kgs (3300 lbs)                                                                             | 铁芯VXPU轮<br>XPU on Iron Core                                                                         | 1152-10-91-1     | 1152-10-91-2     | 1152-10-91-4     |                                                                                                      |                                                                                                             |                                                                                                              |