




1153-1 Series

53经典欧款系列

Heavy Duty 2" Wide General Purposes Caster (European Style)

- 欧规底板，脚架采特别结构设计，荷重高、转动灵活，双刹制动，适用于中、重型台车。
- Pressed steel caster horn/ housing designed for European market. Swivel easily with high performance total lock brake, suitable for medium and heavy duty logistic equipment.

载重 Load
125-300 kg



特色区 Features



后刹
Rear Total Lock



定向刹
Directional Lock



滚珠轴承
Ball Bearing

滚针
Roller Bearing

中管
Plain Bearing

精密滚珠轴承
Annular ball bearing

轮子选项 Wheel Options



铝芯AQP
QPU on AL Core



EQPU轮
EQPU



VQPU轮
VQPU



铝芯橡胶轮
Rubber on AL Core



MRC轮
Nylon Wheel



弹力全放轮(黑蓝)
Resilient Resolute Wheel (Blue Tread)



弹力全放轮(灰灰)
Resilient Resolute Wheel (Gray Tread)



实心橡胶弹力轮(铁框+黑胶条)
Black Rubber Wheel (Steel Core)



实心橡胶弹力轮(铁框+灰胶条)
Gray Rubber Wheel (Steel Core)



实心橡胶弹力轮(塑框+黑胶条)
Black Rubber Wheel (Plastic Core)



实心橡胶弹力轮(塑框+灰胶条)
Gray Rubber Wheel (Plastic Core)

底板规格 TOP PLATE SIZE AND BOLT HOLE SPACING

编号 Suffix	底板尺寸 Top Plate Size	底板孔距 Bolt Hole Spacing	安装尼帽尺寸 Attaching Bolt Size
1	137 x 105mm(5-3/8" x 4-1/8")	105 x 80/75mm(4-1/8" x 3-1/8")	10mm (3/8")
2	137 x 105mm(5-3/8" x 4-1/8")	92.5 x 84.5mm(3-5/8" x 3-5/16") (越南大底板)	M10 (3/8")
3	137 x 105mm(5-3/8" x 4-1/8")	118 x 75mm(4-11/16" x 3") (蓝架底板)	M10 (3/8")



▶ 空 柳 規 格 SINGLE BOLT HOLE

编号 Suffix	孔径 Centre Hole
1	13mm

 轮径×轮宽 Diameter×Width	 载重 Load	 材质 Material	 型号 Item NO.			 轴承 Bearing	 总高 Overall Height	 偏心距 Offset (mm)	 回旋半径 Swivel radius (mm)
			固定 Fixed	活动 Swivel	刹车 Brake				
150 x 40mm (6" x 1-9/16")	250kgs (550 lbs)	铝芯橡胶轮 Rubber on Aluminum Core	1153-06-22-1	1153-06-22-2	1153-06-22-4	滚珠 Ball Bearing	190mm (7-1/2")	55mm	活动131mm 后刹131mm Swivel 131mm Swivel W/Rear total lock 131mm
	250kgs (550 lbs)	MRC轮 Nylon Wheel	1153-06-45-1	1153-06-45-2	1153-06-45-4	滚珠 Ball Bearing			
	125kgs (275 lbs)	实心橡胶弹力轮(铁框+黑胶条) Black Rubber Wheel(Steel Core)	1153-06-103-1	1153-06-103-2	1153-06-103-4	滚针 Roller Bearing			
	125kgs (275 lbs)	实心橡胶弹力轮(塑框+黑胶条) Black Rubber Wheel(Plastic Core)	1153-06-104-1	1153-06-104-2	1153-06-104-4	滚针 Roller Bearing 中管 Plain Bearing			
	125kgs (275 lbs)	实心橡胶弹力轮(铁框+灰胶条) Gray Rubber Wheel(Steel Core)	1153-06-106-1	1153-06-106-2	1153-06-106-4	滚针 Roller Bearing			
	125kgs (275 lbs)	实心橡胶弹力轮(塑框+灰胶条) Gray Rubber Wheel(Plastic Core)	1153-06-107-1	1153-06-107-2	1153-06-107-4	滚针 Roller Bearing 中管 Plain Bearing			
150 x 42mm (6" x 1-5/8")	300kgs (660 lbs)	铝芯AQPU(圆弧) QPU on AL Core (Round)	1153-06-87-1	1153-06-87-2	1153-06-87-4	滚珠 Ball Bearing	190mm (7-1/2")	55mm	活动131mm 后刹131mm Swivel 131mm Swivel W/Rear total lock 131mm
	300kgs (660 lbs)	EQPU轮(圆弧) EQPU (Round)	1153-06-81-1	1153-06-81-2	1153-06-81-4				
	300kgs (660 lbs)	EQPU轮(平面) EQPU (Flat)	1153-06-81-1	1153-06-81-2	1153-06-81-4				
	300kgs (660 lbs)	VQPU轮(圆弧) VQPU (Round)	1153-06-83-1	1153-06-83-2	1153-06-83-4				
150 x 50mm (6" x 2")	300kgs (660 lbs))	铝芯AQPU(平面) QPU on AL Core (Flat)	1153-06-87-1	1153-06-87-2	1153-06-87-4	滚珠 Ball Bearing	190mm (7-1/2")	55mm	活动131mm 后刹131mm Swivel 131mm Swivel W/Rear total lock 131mm
160 x 40mm (6-5/16" x 1-9/16")	250kgs (550 lbs)	MRC轮 Nylon Wheel	1153-65-45-1	1153-65-45-2	1153-65-45-4	滚珠 Ball Bearing 中管 Plain Bearing 滚针 Roller Bearing 精密长珠轴承 Annular ball bearing	200mm (7-7/8")	55mm	活动136mm 后刹136mm Swivel 136mm Swivel W/Rear total lock 136mm
	135kgs (295 lbs)	实心橡胶弹力轮(铁框+黑胶条) Black Rubber Wheel(Steel Core)	1153-65-103-1	1153-65-103-2	1153-65-103-4	滚针 Roller Bearing			
	135kgs (295 lbs)	实心橡胶弹力轮(塑框+黑胶条) Black Rubber Wheel(Plastic Core)	1153-65-104-1	1153-65-104-2	1153-65-104-4	滚针 Roller Bearing 中管 Plain Bearing			
	135kgs (295 lbs)	实心橡胶弹力轮(铁框+灰胶条) Gray Rubber Wheel(Steel Core)	1153-65-106-1	1153-65-106-2	1153-65-106-4	滚针 Roller Bearing			
	135kgs (295 lbs)	实心橡胶弹力轮(塑框+灰胶条) Gray Rubber Wheel(Plastic Core)	1153-65-107-1	1153-65-107-2	1153-65-107-4	滚针 Roller Bearing 中管 Plain Bearing			
160 x 42mm (6-5/16" 1-5/8")	300kgs (660 lbs)	铝芯AQPU(圆弧) QPU on AL Core (Round)	1153-65-87-1	1153-65-87-2	1153-65-87-4	滚珠 Ball Bearing	200mm (7-7/8")	55mm	活动136mm 后刹136mm Swivel 136mm Swivel W/Rear total lock 136mm
	280kgs (615 lbs)	铝芯橡胶轮 Rubber on Aluminum Core	1153-65-22-1	1153-65-22-2	1153-65-22-4	滚珠 Ball Bearing			
160 x 48mm (6-5/16" x 1-7/8")	250kgs (550 lbs)	弹力全放轮(灰灰) Resilient Resolute Wheel (Gray tread)	1153-65-105-1	1153-65-105-2	1153-65-105-4	滚珠 Ball Bearing 滚针 Roller Bearing 精密长珠轴承 Annular ball bearing	200mm (7-7/8")	55mm	活动136mm 后刹136mm Swivel 136mm Swivel W/Rear total lock 136mm
	250kgs (550 lbs)	弹力全放轮(黑蓝) Resilient Resolute Wheel (Blue tread)	1153-65-50-1	1153-65-50-2	1153-65-50-4	滚珠 Ball Bearing 滚针 Roller Bearing 精密长珠轴承 Annular ball bearing			



 轮径×轮宽 Diameter×Width	 载重 Load	 材质 Material	 型号 Item NO.			 轴承 Bearing	 总高 Overall Height	 偏心距 Offset (mm)	 回旋半径 Swivel radius (mm)
			固定 Fixed	活动 Swivel	刹车 Brake				
160 x 50mm (6-5/16" x 2")	300kgs (660 lbs)	铝芯AQP(平面) QPU on AL Core (Flat)	1153-65-87-1	1153-65-87-2	1153-65-87-4	滚珠 Ball Bearing	200mm (7-7/8")	55mm	活动136mm 后刹136mm Swivel 136mm Swivel W/Rear total lock 136mm
180 x 44mm (7" x 1-3/4")	300kgs (660 lbs)	铝芯AQP(圆弧) QPU on AL Core (Round)	1153-07-87-1	1153-07-87-2	1153-07-87-4	滚珠 Ball Bearing	220mm (8-11/16")	55mm	活动145mm 后刹145mm Swivel 145mm Swivel W/Rear total lock 145mm
180 x 50mm (7" x 2")	175kgs (385 lbs)	实心橡胶弹力轮(铁框+黑胶条) Black Rubber Wheel(Steel Core)	1153-07-103-1	1153-07-103-2	1153-07-103-4	滚针 Roller Bearing	220mm (8-11/16")	55mm	活动145mm 后刹145mm Swivel 145mm Swivel W/Rear total lock 145mm
	175kgs (385 lbs)	实心橡胶弹力轮(塑框+黑胶条) Black Rubber Wheel(Plastic Core)	1153-07-104-1	1153-07-104-2	1153-07-104-4	滚针 Roller Bearing 中管 Plain Bearing			
	175kgs (385 lbs)	实心橡胶弹力轮(铁框+灰胶条) Gray Rubber Wheel(Steel Core)	1153-07-106-1	1153-07-106-2	1153-07-106-4	滚针 Roller Bearing			
	175kgs (385 lbs)	实心橡胶弹力轮(塑框+灰胶条) Gray Rubber Wheel(Plastic Core)	1153-07-107-1	1153-07-107-2	1153-07-107-4	滚针 Roller Bearing 中管 Plain Bearing			
200 x 44mm (8" x 1-3/4")	300kgs (660 lbs)	铝芯橡胶轮 Rubber on Aluminum Core	1153-08-22-1	1153-08-22-2	1153-08-22-4	滚珠 Ball Bearing	240mm (9-1/2")	55mm	活动155mm 后刹155mm Swivel 155mm Swivel W/Rear total lock 155mm
200 x 48mm (8" x 1-7/8")	250kgs (550 lbs)	弹力全效轮(灰灰) Resilient Resolute Wheel (Gray tread)	1153-08-105-1	1153-08-105-2	1153-08-105-4	滚珠 Ball Bearing 滚针 Roller Bearing 精密长珠轴承 Annular ball bearing	240mm (9-1/2")	55mm	活动155mm 后刹155mm Swivel 155mm Swivel W/Rear total lock 155mm
	250kgs (550 lbs)	弹力全效轮(黑蓝) Resilient Resolute Wheel (Blue tread)	1153-08-50-1	1153-08-50-2	1153-08-50-4	滚珠 Ball Bearing 滚针 Roller Bearing 精密长珠轴承 Annular ball bearing			
200 x 50mm (8" x 2")	300kgs (660 lbs)	铝芯AQP(平面) QPU on AL Core (Flat)	1153-08-87-1	1153-08-87-2	1153-08-87-4	滚珠 Ball Bearing	240mm (9-1/2")	55mm	活动155mm 后刹155mm Swivel 155mm Swivel W/Rear total lock 155mm
	300kgs (660 lbs)	铝芯AQP(圆弧) QPU on AL Core (Round)	1153-08-87-1	1153-08-87-2	1153-08-87-4				
	300kgs (660 lbs)	EQPU轮(圆弧) EQPU (Round)	1153-08-81-1	1153-08-81-2	1153-08-81-4				
	300kgs (660 lbs)	EQPU轮(平面) EQPU (Flat)	1153-08-81-1	1153-08-81-2	1153-08-81-4				
	300kgs (660 lbs)	VQPU轮(圆弧) VQPU (Round)	1153-08-83-1	1153-08-83-2	1153-08-83-4				
	250kgs (550 lbs)	MRC轮 Nylon Wheel	1153-08-45-1	1153-08-45-2	1153-08-45-4	滚珠 Ball Bearing 中管 Plain Bearing 滚针 Roller Bearing 精密长珠轴承 Annular ball bearing			
	205kgs (450 lbs)	实心橡胶弹力轮(铁框+黑胶条) Black Rubber Wheel(Steel Core)	1153-08-103-1	1153-08-103-2	1153-08-103-4	滚针 Roller Bearing			
	205kgs (450 lbs)	实心橡胶弹力轮(塑框+黑胶条) Black Rubber Wheel(Plastic Core)	1153-08-104-1	1153-08-104-2	1153-08-104-4	滚针 Roller Bearing 中管 Plain Bearing			
	205kgs (450 lbs)	实心橡胶弹力轮(铁框+灰胶条) Gray Rubber Wheel(Steel Core)	1153-08-106-1	1153-08-106-2	1153-08-106-4	滚针 Roller Bearing			
	205kgs (450 lbs)	实心橡胶弹力轮(塑框+灰胶条) Gray Rubber Wheel(Plastic Core)	1153-08-107-1	1153-08-107-2	1153-08-107-4	滚针 Roller Bearing 中管 Plain Bearing			